


## MACHINE SCREWS - FILLISTER HEAD

### MS35265 / MS35266 DRILLED HEAD

MATERIAL - CARBON STEEL PER FED-STD-66  
FINISH - CADMIUM PER QQ-P-416 TYPE II



### MS35275 / MS35276 DRILLED HEAD

MATERIAL - 300 SERIES STAINLESS STEEL  
FINISH - PASSIVATE PER ASTM A380



MS35275



MS35276

### AN500 / AN501 UNDRILLED HEAD

MATERIAL - 300 SERIES STAINLESS STEEL  
FINISH - PASSIVATE PER ASTM A380



THREAD	MS35265				MS35266
	4-40	6-32	8-32	10-24	10-32
D	0.174	0.217	0.260	0.302	0.302
H	0.100	0.125	0.148	0.172	0.172
TENSILE LBS/MIN	360	540	840	1050	1200
L	DASH#	DASH#	DASH#	DASH#	DASH#
0.188	12	-	-	-	-
0.250	13	26	41	59	-
0.312	14	27	42	-	60
0.375	15	28	43	61	61
0.438	16	29	44	62	62
0.500	17	30	45	63	63
0.625	18	31	46	64	64
0.750	19	32	47	65	65
0.875	-	33	48	-	66
1.000	-	34	49	-	67
1.250	-	35	50	-	68
1.500	-	36	-	-	-

THREAD	MS35275				MS35276
	2-56	4-40	6-32	8-32	10-32
D	0.132	0.174	0.217	0.260	0.302
H	0.076	0.100	0.125	0.148	0.172
TENSILE LBS/MIN	300	480	730	1120	1600
L	DASH#	DASH#	DASH#	DASH#	DASH#
0.125	201	211	-	-	-
0.188	202	212	-	-	-
0.250	203	213	226	241	-
0.312	204	214	227	242	260
0.375	205	215	228	243	261
0.438	206	216	229	244	262
0.500	207	217	230	245	263
0.625	208	218	231	246	264
0.750	209	219	232	247	265
0.875	-	220	233	248	266
1.000	-	221	234	249	267

THREAD	AN500				AN501
	2-56	4-40	6-32	8-32	10-32
D	0.132	0.174	0.217	0.260	0.302
H	0.076	0.100	0.125	0.148	0.172
TENSILE LBS/MIN	300	480	725	1120	1600
L	DASH#	DASH#	DASH#	DASH#	DASH#
0.188	D2-3	D4-3	-	-	-
0.250	D2-4	D4-4	D6-4	-	-
0.312	D2-5	D4-5	D6-5	D8-5	-
0.375	D2-6	D4-6	D6-6	D8-6	D10-6
0.438	D2-7	D4-7	D6-7	D8-7	D10-7
0.500	D2-8	D4-8	D6-8	D8-8	D10-8
0.625	-	D4-10	D6-10	D8-10	D10-10
0.750	-	-	-	-	D10-12